



Modell: RL-20 Sertifikat: NCT18017415E1-1 480 pieces LED SMD  
Lys: bi-color 3200K-5600K (warm - cool) Lumen: 3200-4800LM  
Input: AC 100-240V 50/60Hz 2.0 A Output: 15V = 5.0A Max: 65W

CE    Made In China for  
Nor Liner Scandinavia AS  
Importer / Distributor

## BRUKERMANUAL

for  
NL-RINGLAMPE 40cm **RL-20** Med Feste for Mobil

Siste Revisjon: 24. mars 2022

## Innhold

ADVARSLER.....	2
INNLEDNING.....	2
PRODUSENT.....	3
PAKKENS INNHOLD .....	3
CE-MERKING.....	3
ILLUSTRASJONER.....	4
CE-MERKING.....	8
MONTERING.....	9
SPESIFIKASJONER.....	10
CE-SERTIFIKAT.....	11
TESTRAPPORT FOR CE-GODKJENNING.....	<b>Feil! Bokmerke er ikke definert.</b>

## ADVARSLER

Følgende spesielle advarsler og forsiktighetsregler gjelder for ringlampen:

- Lampen skal ikke brukes som vanlig rombelysning
- Unngå å ha våte hender når du berører lampen
- Lampen skal ikke håndteres av barn under 12 år
- Lampen må ikke utsettes for regn
- Behandle bevegelige deler med forsiktighet
- Sørg for at tripod-foten alltid står støtt og at festeskruer er godt tilskrudde
- Lampen rengjøres med en svakt fuktet fiberklut
- Kontakten bør tas ut når lampen ikke er i bruk
- Les bruksanvisningen nøye før du monterer og slår på lampen
- Ytterligere informasjon om lampen finner du på:  
<https://www.norliner.no/products/nl-ringlampe-40cm-feste-for-speil-og-mobil>

## INNLEDNING

Ringlampen er ment til bruk i salonger og lignende. Ikke til fast belysning av rom innendørs.

## PRODUSENT



Produsent / Leverandør er Shenzhen Fresh Photographic Equipment Co., Ltd.  
Telefon: 15913898807

Made in China for:

Importør i Norge: Nor Liner Scandinavia AS

Distributør i Norge: Nor Liner Scandinavia AS

## PAKKENS INNHOLD


Følgende innhold følger med i pakken:

- 18 Inch LED-lampe ring lys
- 4 hvite deler
- Europeisk / Norsk støpsel
- Feste for Mobil
- Tripod fot 2 meter
- Stoffbag med glidelås til å pakke ned lampen ved behov

## CE-MERKING

Lampen har følgende merking:

Modell: RL-20 Sertifikat: NCT18017415E1-1 480 pieces LED SMD  
Lys: bi-color 3200K-5600K (warm - cool) Lumen: 3200-4800LM  
Input: AC 100-240V 50/60Hz 2.0 A Output: 15V = 5.0A Max: 65W



Made In China for  
Nor Liner Scandinavia AS  
Importør / Distributør

## ILLUSTRASJONER



Speil og oransje deksler følger ikke med i RL-20 – denne modellen






Modell: RL-20    Serifikat: NCT18017415E1-1    480 pieces LED SMD  
Lys: bi-color 3200K-5600K (warm - cool)    Lumen: 3200-4800LM  
Input: AC 100-240V 50/60Hz 2.0 A    Output: 15V = 5.0A    Max: 65W



Made In China for  
Nor Liner Scandinavia AS  
Importer / Distributor





Denne modellen RL-20 har ikke speil.








## MONTERING

Følg bruksanvisningen under ved montering, speil og oransje deksler følger ikke med denne modellen – RL-20:

### (1) Open the Package Box




The light stand is packed in a SEPARATE box INSIDE the big package box (under the ring light box, at the extreme BOTTOM of the box).

### (2) Installation of Light Stand



The legs are designed upwards, please unfold the legs upside down.

### (3) Installation of Flexiable Arm



### (4) Installation of Color Filter




### (5) Installation of Smartphone




## SPESIFIKASJONER

Følgende spesifikasjoner gjelder for lampen:

### photography led 18" 55w selfie phone camera studio lightings diva ring light with stand



The Strongest Storm, the Highest CRI  
Highest CRI95+,bring you the truest color



#### Brief Description Of Diva Ring Light

Light Source	LED SMD
SMD LED Quantity	240Pcs
Power	55W
CRI (Color Rendering Index)	>95
Dimming range	10%-100%
Dimmable	Yes
Lumen	4800LM
Color Temperature	5500K±200
Dimensions	Inner Dimensions: 375mm Outer Dimensions: 480mm ( 18 Inches )
DC Output	15 Volts
AC input	100-240V (includes US, UK and EU Plug adapters)

#### Advantages Of Diva Ring Light

- 1) Dimmable 18" SMD LED Ring Light with a wide dimming range from 10%-100%.
- 2) Special SMD LED design, ring shaped, lightweight and portable. Constant current drive, low power loss.NO ultraviolet and infrared light radiation, low heat output, safety and environmental protection.
- 3) Equipped with a universal adapter with 1 plugs. (US/EU/UK Plug)
- 4) With reinforced flexible arm which will move freely and never droop.
- 5) Extra Long Cord and Heavy Duty Thumb Screws.
- 6) With plastic color filter set: Orange+ White
- 7) Mount for DSLR Camera Fits Iphone 6s Android Smartphones
- 8) Smartphone Adapter Bracket (fits nearly all smartphones incl Iphones, Android phones,
- 9) Heavy Duty Ball Pivot mount to attach your expensive DSLR or Digital Cameras
- 10) Removable Orange and Frost Filters for adjusting color temperature
- 11) Sturdy 6.23 Foot Light Stand Includes
- 12) It is widely applied to outdoor photo light, filling light indoors, portrait, fashion, wedding art, advertisement photography, shooting video, etc.

## CE-SERTIFIKAT

Følgende sertifikat gjelder fra produsenten:

### CERTIFICATE OF CONFORMITY

**Certificate No. : NCT18017415E1-1**

**Product Name : RING LIGHT**

**Model No : RL-18**  
 RL-18I, RL-20, RL-18II, RL-188, RL-448, RL-336, FE-480,  
 FD-480, FS-480, FS-390, R-48B, R-40B, CY-R50L, YN128.

**Applicant : Shenzhen Fresh Photographic Equipment Co., Ltd.**  
**Address : No. 26, Tongqing Road, Longgang District, Shenzhen of China**

**Manufacturer : Shenzhen Fresh Photographic Equipment Co., Ltd.**  
**Address : No. 26, Tongqing Road, Longgang District, Shenzhen of China**

**Trademark : N/A**

The above products have been tested by us with the listed standards and found in compliance with the EUROPEAN COUNCIL EMC DIRECTIVE 2014/30/EU. It is possible to use CE marking to demonstrative the compliance with this EMC directive.

Test standards:	Report(s) Number	Issued By	Issued Date
EN 55015: 2013+A1:2015	NCT18017415E1-1	NCT	May. 07, 2018
EN 61547: 2009			
EN 61000-3-2: 2014			
EN 61000-3-3: 2013			

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.





**Date: May.07, 2018**                      **Signature: \_\_\_\_\_**

**Shenzhen NCT Testing Technology Co., Ltd.**  
 Hotline:400-886-4819                      Http://www.nct-testing.cn  
 1 / F, No. B Building, Mianshang Younger Pioneer Park, Hangcheng Road,  
 Gushu Xixiang Street, Baoan District, Shenzhen